



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/815,097	03/31/2004	John S. Sadowsky	1000-0033	6563

7590 05/03/2007  
The Law Offices of John C. Scott, LLC  
c/o PortfolioIP  
P.O. Box 52050  
Minneapolis, MN 55402

EXAMINER
----------

MATIN, NURUL M

ART UNIT	PAPER NUMBER
----------	--------------

2611

MAIL DATE	DELIVERY MODE
-----------	---------------

05/03/2007

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

sk

<b>Office Action Summary</b>	<b>Application No.</b>		<b>Applicant(s)</b>	
	10/815,097		SADOWSKY ET AL.	
	<b>Examiner</b>		<b>Art Unit</b>	
	Nurul M. Matin		2611	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 09/02/2005.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-33 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-33 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)            | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>03/31/2004 &amp; 09/02/2005</u> .                             | 6) <input type="checkbox"/> Other: _____                          |

## DETAILED ACTION

### *Claim Rejections - 35 USC § 102*

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1, 5-10, 13, 26-30, 33 are rejected under 35 U.S.C. 102(b) as being anticipated by Okada et al, US 2002/0003773.

Re claim 1, Okada discloses an apparatus comprising: a first phase shifter to provide subcarrier dependent phase shifts to modulation symbols associated with an orthogonal frequency division multiplexing (OFDM) signal to generate first phase shifted modulation symbols, wherein said modulation symbols correspond to subcarriers of the OFDM signal (fig.13, col.10, line 64-col.11, line 26, "The phase shifter 11 receives as input a complex signal mapped according to a given modulation system such as BPSK, DQPSK, QPSK, 16 QAM or 64 QAM. The signal point of the input complex signal is expressed by (I, Q); and a first inverse discrete Fourier transform unit to convert said first phase shifted modulation symbols from a frequency domain representation to a time domain representation (fig.12, col.11, line 47-51, "The IFFT operational circuit 6 performs an operation of inverse Fourier transform collectively on the multiplexed signals of the three channel data as multiplexed by the multiplexer 5 to generate an OFDM signal of the base band of time domain").

Re claim 5, Okada discloses the apparatus of claim 1, wherein: said first phase shifter provides a phase shift to a first modulation symbol based on a difference between a frequency of a corresponding subcarrier and a center frequency of a channel in which said OFDM symbol is to be transmitted (fig. 13, col.10, line 64-col.11, line 26).

Re claim 6, Okada discloses the apparatus of claim 1, wherein: said first phase shifter provides subcarrier dependent phase shifts to said modulation symbols based on an approximate coherence bandwidth associated with the apparatus (fig.3, col.10, line 64-67) & col.1, line 21-25).

Re claim 7, Okada discloses the apparatus of claim 1, wherein: said modulation symbols associated with said OFDM signal includes at least a first modulation symbol and a second modulation symbol, said first modulation symbol being associated with a first subcarrier and said second modulation symbol being associated with a second subcarrier that is adjacent to said first subcarrier in frequency, wherein said phase shifter provides phase shifts to said first and second modulation symbols that differ by approximately  $360/B$  degrees, where B represents an approximate coherence bandwidth(fig. 13, col.10, line 64-67 and col.1,line 15-20).

Re claim 8, Okada discloses acquiring modulation symbols to be used to generate an orthogonal frequency division multiplexing (OFDM) signal, said modulation symbols including at least a first symbol and a second symbol, wherein said modulation symbols correspond to subcarriers of the OFDM signal (fig.13, col.10, line 64-col.11, line 26); applying a first phase shift to said first symbol that is dependant upon the subcarrier associated with said first symbol to generate a first phase shifted symbol; and

applying a second phase shift to said second symbol that is dependent upon the subcarrier associated with said second symbol to generate a second phase shifted symbol(see fig. 13).

Re claim 9, Okada discloses applying an inverse discrete Fourier transform to a group of modulation symbols that includes said first phase shifted symbol and said second phase shifted symbol (fig. 12, IFFT (6)).

Re claim 10, The method of claim 9, wherein: said modulation symbols to be used to generate said OFDM signal include other symbols in addition to said first symbol and said second symbol, said method further comprising applying subcarrier dependent phase shifts to said other symbols to generate other phase shifted symbols, wherein said group of modulation symbols includes said other phase shifted symbols (see claims 1 and 8).

Re claim 13, The method of claim 8, wherein: applying a first phase shift to said first symbol includes applying a phase shift that is related to an approximate coherence bandwidth of a corresponding channel (see fig.13).

Re claim 26, Okada discloses a system comprising: a first phase shifter to provide subcarrier dependent phase shifts to modulation symbols associated with an orthogonal frequency division multiplexing (OFDM) signal to generate first phase shifted modulation symbols, wherein said modulation symbols correspond to subcarriers of the OFDM signal (see claim 1); a first inverse discrete Fourier transform unit to convert said first phase shifted modulation symbols from a frequency domain representation to a time domain representation(see claim 1); and at least one dipole antenna element to

Art Unit: 2611

transmit a radio frequency (RF) signal that includes said time domain representation of said phase shifted modulation symbols(fig. 12, antenna(10)).

Re claim 27, Okada discloses a guard interval addition unit to add a guard interval to said time domain representation of said phase shifted modulation symbols (see fig.12, guard interval (7).

Re claim 28, Okada discloses an RF transmitter located between said guard interval addition unit and said at least one dipole antenna element to generate said RF signal using said time domain representation of said phase shifted modulation symbols (see fig. 12, and orthogonal modulator and frequency converter works as a transmitter).

Re claims 29-30, which claims the same subject matter as recited in claims 8-9. Therefore, claims 29-30 have been analyzed and rejected with respect to claims 8-9.

Re claim 33, which claim the same subject matter as recited in claim 13. Therefore, claim 33 has been analyzed and rejected with respect to claim 13.

### ***Claim Rejections - 35 USC § 102***

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

Art Unit: 2611

4. Claims 15-25 are rejected under 35 U.S.C. 102(a) as being anticipated by Menon et al, US 6940917.

Re claim 15, Menon discloses an apparatus comprising: an interleaver to separate a serial input stream of modulation symbols into N spatial streams, where N is a positive integer greater than 1 (fig.3, channel interleaver (314), col.12, line 42-45, " the channel interleaver 314 then interleaves the coded bits based on one or more interleaving schemes to provide time, spatial and /or frequency diversity"); and a steering unit to receive said N spatial streams and to steer the associated modulation symbols into M antenna paths, where M is a positive integer greater than 1, wherein said steering unit provides subcarrier dependent phase shifts to modulation symbols associated with at least one of said N spatial streams (fig. 3, steering unit (350), col.13, line 41-60, where it says each beam-steering unit 450 performs beam-steering for an associated subband and also receives the normalized steering vector  $e(k)$  for that subband. Within each unit 450, the scaled modulation symbols  $s_{sub.k}$  are provided to  $N_{sub.T}$  multipliers 452a through 452t, one multiplier for each transmit antenna).

Re claim 16, Menon discloses that M antenna paths includes at least a first path and a second path; and said apparatus further includes a first inverse discrete Fourier transform unit within said first path and a second inverse discrete Fourier transform unit within said second path (fig.4, col.14, line 8-26, which shows that each Fourier transform is connected with the antenna").

Re claim 17, Menon discloses that first and second inverse discrete Fourier transform units are fast Fourier transform units (see fig.3 for FFT).

Re claim 18, Menon discloses that  $N$  equals  $M$  (see fig.3 and fig.4)

Re claim 19, Menon discloses that  $N$  does not equal  $M$  (see fig. 3 and fig.4).

Re claim 20, Menon discloses that an apparatus is adapted for use within a multiple input multiple output (MIMO) based transmitting device (col.11, line 56-58).

Re claim 21, Menon discloses a mapper to map input data bits into a serial stream of modulation symbols based on a predetermined modulation scheme, said serial stream of modulation symbols for delivery to an input of said interleaver (fig. 3, "it shows that output of the symbol mapping (316) is going to the multiplexer (360) which is used to refer to the interleaving of digital signal data").

Re claim 22, Menon discloses that a forward error correction (FEC) coder to encode user data based on a predetermined error code, said FEC coder to deliver encoded data bits to an input of said mapper (fig.3 shows the encoder (312) which codes the traffic data (the information bit) in accordance with one or more coding schemes to provide coded bits).

Re claim 23, Menon discloses that steering unit provides subcarrier dependent phase shifts to modulation symbols associated with at least two spatial streams, wherein different phase sequences are used for each of said at least two spatial streams (col.13, line 41- col.14, line 7).

Re claim 24, The apparatus of claim 15, wherein: said steering unit provides subcarrier dependent phase shifts to modulation symbols associated with  $N-1$  of said  $N$  spatial streams, wherein different phase sequences are used for each of said  $N-1$  spatial streams (col.13, line 41-col.14, line 7).

Re claim 25, The apparatus of claim 15, wherein: said steering unit provides subcarrier dependent phase shifts to modulation symbols associated with each of said N spatial streams, wherein different phase sequences are used for each of said N spatial streams (col.13, line 41-col.14, line 7).

***Claim Rejections - 35 USC § 103***

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 2-4, 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Okada et al, US 2002/0003773 and in view of Ladstatter, US 4112430.

Re claim 2, Okada discloses the apparatus of claim 1, further comprising: a second phase shifter to provide subcarrier dependent phase shifts to said modulation symbols associated with said OFDM signal to generate second phase shifted modulation symbols, wherein said second phase shifter provides different subcarrier dependent phase shifts to said modulation symbols than said first phase shifter(fig.13, col.10, line 64-col.11, line 26); and a second inverse discrete Fourier transform unit to convert said second phase shifted modulation symbols from a frequency domain representation to a time domain representation(fig.12, col.11, line 47-51). But Okada fail

Art Unit: 2611

to disclose that first inverse discrete Fourier transform unit is associated with a first antenna path and said second inverse discrete Fourier transform unit is associated with a second antenna path. However, Ladstatter does (fig.2, shows that a first inverse Fourier Transform (43) is associated with first antenna (30) and second inverse Fourier Transform (44) is associated with second antenna (31).

Therefore, taking the combined teaching of Okada and Ladstatter as a whole, it would have been obvious to one of ordinary skill in the art to incorporate the arrangement of first inverse discrete Fourier transform unit is associated with a first antenna path and said second inverse discrete Fourier transform unit is associated with a second antenna path as thought in Ladstatter into Okada to prevent distortion of the wideband beam.

Re claim 3, Okada and Ladstatter references teach the apparatus of claim 2, further comprising: and Okada reference also teaches at least one other phase shifter to provide subcarrier dependent phase shifts to said modulation symbols associated with said OFDM signal to generate other phase shifted modulation symbols, wherein said at least one other phase shifter provides different subcarrier dependent phase shifts to said modulation symbols than said first and second phase shifters (fig.13, col.10, line 64-col.11, line 26); and at least one other inverse discrete Fourier transform unit to convert said other phase shifted modulation symbols from a frequency domain representation to a time domain representation(fig.12, col.11, line 47-51).

Re claim 4, Okada and Ladstatter references teach the apparatus of claim 2, and Okada reference also teaches first and second inverse discrete Fourier transform units are fast Fourier transform (FFT) units (see fig. 16).

Re claim 14, Okada and Ladstatter reference teach the method of claim 8, and Okada reference also teaches the first and second phase shifted symbols are to be transmitted from a first antenna (fig.13); and said method further comprises: applying a third phase shift to said first symbol that is dependant upon the subcarrier associated with said first symbol to generate a third phase shifted symbol, wherein said third phase shift is different from said first phase shift (fig.13, col.10, line 64-col.11, line 26, even though the specification and drawing did not talk about the third and fourth phase shift but it would be same thing as first and second phase shift ) ; and applying a fourth phase shift to said second symbol that is dependent upon the subcarrier associated with said second symbol to generate a fourth phase shifted symbol, wherein said fourth phase shift is different from said second phase shift((fig.13, col.10, line 64-col.11, line 38); and Ladstatter reference also teaches third and fourth phase shifted symbols are to be transmitted from a second antenna, said second antenna being different from said first antenna(fig.2).

7. Claims 11 and 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Okada et al, US 2002/0003773 and in view of Daudelin, US 4716376.

Re claim 11, Okada discloses a first phase shift to said first symbol includes applying a phase shift that is linearly related to a frequency of the subcarrier associated

with said first symbol (fig. 12). But Okada fail to disclose that phase shift is linearly related to a frequency. However, Daudelin does (col.6, line 34-37, "The phase shift imposed by this circuit on a given frequency component is linearly related to the frequency of that component").

Therefore, taking the combined teaching of Okada and Daudelin as a whole, it would have been obvious to one of ordinary skill in the art to incorporate the arrangement of phase shift is linearly related to a frequency as thought in Daudelin into Okada therefore has the same relative effect on any two frequencies F1 and F2 separated in frequency by a fixed difference.

Re claim 31, which claim the same subject matter as recited in claim 11. Therefore, claim 31 has been analyzed and rejected with respect to claim 11.

8. Claims 12 and 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Okada et al, US 2002/0003773 and in view of Kumagai et al, US 5796307.

Re claim 12, Okada discloses a first phase shift to said first symbol includes applying a phase shift that is non-linearly related to a frequency of the subcarrier associated with said first symbol (see fig.12). But Okada fail to disclose that phase shift is non-linearly related to a frequency. However, Kumagai does(col.4, line 32-34," The phase shift amounts of the first and second phase shifter means 21 and 23 vary nonlinearly with respect to frequency").

Therefore, taking the combined teaching of Okada and Kumagai as a whole, it would have been obvious to one of ordinary skill in the art to incorporate the

Art Unit: 2611

arrangement of that phase shift is non-linearly related to a frequency as thought in Kumagai into Okada to obtaining an amplified output signal from the second phase shifter (summery of the invention).

Re claim 32, which claim the same subject matter as recited in claim 12.

Therefore, claim 32 has been analyzed and rejected with respect to claim 12.

### ***Conclusion***


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nurul M. Matin whose telephone number is 571-270-1188. The examiner can normally be reached on mon-fri (7:30-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mohammad Ghayour can be reached on 571-272-3021. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2611

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Nurul Matin

  
MOHAMMED GHAYOUR  
SUPERVISORY PATENT EXAMINER